

L Number	Hits	Search Text	DB	Time stamp
1	131	(adaptiv\$5 near10 control\$4 near10 hardware) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 13:22
2	60	(adaptiv\$5 near10 control\$4 near10 camera\$1) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 13:23
3	0	(adaptiv\$5 near10 control\$4 near10 camera\$1) and @ad<20000906 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 13:23
-	47	kitchen near10 applianc\$4 near10 network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 12:18
-	18	kitchen near10 applianc\$4 near10 network\$4 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:52
-	1	reduc\$4 near5 data near3 rate\$1 near10 client\$1 near10 network\$4 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:53
-	1	reduc\$4 near10 data near3 rate\$1 near10 client\$1 near10 network\$4 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:53
-	44	reduc\$4 near10 rate\$1 near10 (computer\$1 client\$1) near10 network\$4 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:54
-	7	reduc\$4 near10 rate\$1 near10 (client\$1) near10 network\$4 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:57
-	95	(control\$5 throttl\$4) near10 rate\$1 near10 network\$4 and 709/232-235.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 14:58
-	38	(control\$5 throttl\$4) near10 data near3 rate\$1 near10 network\$4 and 709/232-235.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 15:01
-	3	(control\$5 throttl\$4) near10 data near3 rate\$1 near10 network\$4 near10 client\$1 and (709/232-235.ccls. or 709/223-224.ccls.) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 15:02
-	98	control\$5 near10 (data near4 rate\$1) near10 network\$4 and @ad<20001006 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 10:43

-	6	control\$5 near10 (data near4 rate\$1) near10 network\$4 near10 server\$1 and @ad<20001006 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 10:47
-	5	control\$5 near10 network\$4 near10 resource\$3 and updat\$4 near10 parameter\$4 and @ad<20001006 and 709/223-224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 07:46
-	925	fiche	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:41
-	116	adaptiv\$4 near10 control\$4 near10 (data near4 rate\$1) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 11:21
-	60	adaptiv\$4 near10 control\$4 near10 (data near rate\$1) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 11:44
-	238	(program\$1 application\$1) near10 control\$4 near10 (data near rate\$1) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:52
-	0	(program\$1 application\$1) near10 control\$4 near10 (data near rate\$1) and @ad<20000906 and 709/226.ccls. and GUI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:53
-	2	(program\$1 application\$1) near10 control\$4 near10 (data near rate\$1) and @ad<20000906 and 709/226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:53
-	0	(program\$1 application\$1) near10 control\$4 near10 (data near rate\$1) and @ad<20000906 and 709/223-224.ccls. and GUI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:54
-	3	(program\$1 application\$1) near10 control\$4 near10 (data near rate\$1) and @ad<20000906 and 709/223-224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:59
-	12	(program\$1 application\$1) near10 control\$4 near10 (data near rate\$1) and @ad<20000906 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 10:59
-	0	updat\$4 near10 resourc\$4 near10 behavior and 709/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 11:38
-	3	adaptiv\$4 near10 control\$4 near10 (data near rate\$1) and 709/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 11:51
-	23	adaptiv\$4 near10 control\$4 near10 (data near rate\$1) and 370/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 11:52

-	113	application\$3 near10 control\$4 near10 (data near rate\$1) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 11:52
-	6	application\$3 near10 control\$4 near10 (data near rate\$1) and 709/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:02
-	0	adaptive\$4 near10 monitor\$4 near10 data adj1 rate\$1 near10 resource\$1 and 709/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:04
-	1	monitor\$4 near10 data adj1 rate\$1 near10 resource\$1 and 709/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:09
-	3	monitor\$4 near10 data adj1 rate\$1 near10 resource\$1 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:10
-	2	adjust\$4 near10 data adj1 rate\$1 near10 client\$1 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:11
-	0	(modif\$4 modificat\$4) near10 data adj1 rate\$1 near10 client\$1 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:11
-	0	adapt\$5 near10 data adj1 rate\$1 near10 client\$1 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:15
-	1	adapt\$5 near10 behavior\$4 near10 resource\$4 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:20
-	1	client adj data adj rate\$1 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:20
-	71	client near10 data adj rate\$1 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:21
-	28	(client near10 data adj rate\$1 and @ad<20000906) and adjust\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:21
-	126	client near10 data adj rate\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:22
-	2	(client near10 data adj rate\$1) near10 adjust\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:22

-	2099	client near10 bandwidth\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:22
-	43	(client near10 bandwidth\$1) near10 adjust\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:22
-	18	((client near10 bandwidth\$1) near10 adjust\$4) and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:28
-	0	monitor\$4 near10 upgrad\$4 near10 (qualit\$3 near5 servic\$3 QoS) near10 client\$4 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:28
-	0	monitor\$4 near10 increas\$4 near10 (qualit\$3 near5 servic\$3 QoS) near10 client\$4 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:29
-	13	monitor\$4 near10 (qualit\$3 near5 servic\$3 QoS) near10 client\$4 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 12:52
-	7	reduc\$4 near10 (qualit\$3 near5 servic\$3 QoS) near10 client\$4 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 13:26
-	35	resourc\$4 near10 parameter\$1 near10 attribut\$2 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 13:27
-	9	resourc\$4 near10 parameter\$1 near10 attribut\$2 and bandwidth\$1 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 13:29
-	0	updat\$3 near10 resourc\$4 near10 parameter\$1 near10 attribut\$2 and @ad<20000906 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 13:30
-	0	updat\$3 near10 resourc\$4 near10 parameter\$1 near10 attribut\$2 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 13:31
-	9	monitor\$4 near10 rate\$1 near10 updat\$4 and 709/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 13:34
-	12	monitor\$4 near10 rate\$1 near10 client\$1 and 709/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 13:39
-	11	monitor\$4 near10 bandwidth\$1 near10 client\$1 and 709/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 14:07

-	0	tunable near10 bandwidth\$1 near10 client\$1 and 709/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 14:01
-	0	tuneable near10 bandwidth\$1 near10 client\$1 and 709/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 14:01
-	0	adjust\$4 near10 monitor\$4 near10 rate\$1 near10 client\$1 and 709/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/12 14:09
-	19	adjust\$4 near10 rate\$1 near10 client\$1 and 709/\$.ccls. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 08:00
-	2	5892919.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 08:00
-	58	adaptiv\$5 near10 control\$4 near10 resourc\$4 and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 12:18
-	5	(adaptiv\$5 near10 control\$4 near10 resourc\$4).ti. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 12:18
-	21	(adaptiv\$5 near10 control\$4 near10 resourc\$4).ab.ti. and @ad<20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 13:21